

SPECIFICATION(S)

Models		Embroidery Space[D×W] mm(inch)	P-head:Perforation	H-head:Sewing, Embroidery	Heads	Needles
PAX	PAX-V0901F	550×500S/240 (21.6×19.6/9.5)	●	●	1 pair	9
	PAX-V0901F	750×800S/240 (29.5×31.4/9.5)	●	●	1 pair	9
	PAX-V0901F	1000×1200S/240 (39.3×47.2/9.5)	●	●	1 pair	9
HAR	HAR-V0901F	750×800S (29.5×31.4)		●	1 pair	9
	HAR-V0901F	1000×1200S (39.3×47.2)		●	1 pair	9
	HAR-V0902F	750×800S (29.5×31.4)		●	2 pairs	9
	HAR-V0902F	1000×1200S (39.3×47.2)		●	2 pairs	9
PAR	PAR-V0901F	750×800S (29.5×31.4)	●		1 pair	9
	PAR-V0902F	750×800S (29.5×31.4)	●		2 pairs	9
	PAR-V0902F	1000×1200S (39.3×47.2)	●		2 pairs	9

RECOMMENDED PC SPECIFICATIONS for DG-S

DG-S	Microsoft Windows® 8 and later versions (All only 64bit OS)
	CPU: Intel® Core™ i7 2.8Ghz Quad-Core or above RAM: 8GB or more Monitor: 1,440×900 pixels or higher Mouse: 3-button mouse Port: Minimum 2USB ports (for dongle and USB memory) LAN port: for embroidery network and internet

*Information true as of January 2021

More about PAX Series

PAX PAX Series Special Website
tajima.com/special/pax/en



Latest news from TAJIMA

TAJIMA Official Website
tajima.com



f TAJIMA Official Facebook
facebook.com/TajimaGroup



Distributed by



Tajima Industries Ltd.

NO.1800 Ushiyama-cho, Kasugai, Aichi-pref. 486-0901 JAPAN
 TEL +81-568-90-6512, 6514, 6518
 FAX +81-568-90-6513, 6515, 6519

Manufactured by

TISM Co.,Ltd.




Contact below for inquiries regarding the purchase of a machine(s) or issues with the equipment you currently possess.

PAX SERIES



PAX
HAR
PAR

PERFORATION,
MULTICOLOR SEWING &
MULTICOLOR EMBROIDERY



PAX-V0901F

*Intel and Core are registered trademarks of Intel Corporation in USA and other countries.
 *The official name of Windows® is "Microsoft® Windows® Operating System."
 *Windows is a trademark or registered trademark of Microsoft Corporation in the United States, Japan, and/or other countries.
 *Product specifications are subject to change without notice.
 *The actual embroidery area and embroidery speed may vary depending on the items being produced, the machine model, and the embroidering conditions.
 *Caution: No registered trademark or product design contained in this catalog may be used without prior permission from the manufacturer.

